
 <b>भा.कृ.अनु.प.</b> <b>ICAR</b>	<b>भा.कृ.अनु.प. - खरपतवार अनुसंधान निदेशालय</b> <b>ICAR - Directorate of Weed Research</b> महाराजपुर, अधारताल, जबलपुर – 482004, (म. प्र.), भारत Maharajpur, Adhartal, Jabalpur 482 004 (M.P.), INDIA	 <b>D W R</b>
<b>EPABX</b> : +91-761-2353101, 2353934 <b>Fax</b> : 0761 – 2353129	<b>Gram</b> : WEEDSCIENCE <b>Email</b> : dirdwsr@icar.org.in	<b>3-430/S&amp;P/CRP-Project /2015-16</b>
		<b>Date : 23-02-2018</b>

प्रति,  
To,

विषय:- प्रेशर कम्पलसेटिंग इन-लाईन ड्रिप इरीगेशन सिस्टम के कय एवं इन्सटालेशन (4 एकड़) हेतु।  
 Sub Quotation for Purchase of Pressure Compensating in-line Drip Irrigation System with Installation (04 acre)- reg.

महोदय,

Dear Sir(s)

निदेशक, ख.अनु. निदेशालय की ओर से ड्रिप इरीगेशन सिस्टम को कय करने हेतु सील बंद निविदा/आफर पोस्ट के द्वारा आमंत्रित है।

On behalf of the Director of this Directorate, I am to invite your quotation for the Purchase of **Purchase of Pressure compensating in-line Drip Irrigation System with Installation** as mentioned below-

S/N.	Item description	Unit	Qty
1	UPVC pipe socket (75 mm x 4 kg 6 m)	m	132
2	UPVC pipe socket (63 mm x 04 kg 6 m)	m	252
3	In-lateral tube OD16mm CL2	m	600
4	Inline later drip emitter 16mm dia, 2.0 lph discharge, 40 cm spacing, CI2, pressure compensating (PC)	No.	16000
5	Control valve 75 mm teflon seal plain	No.	1
6	Control valve 63 mm moulded seal plain	No.	4
7	Flush valve 63 mm	No.	4
8	Super flow filter 40m <sup>3</sup> /hr (2.5 inch)	No.	1
9	Pressure relief valve metal (2.5 inch) thread	No.	1
10	Double action air/vacuum relief valve 32mm(1)+D3750	No.	1
11	40 m <sup>3</sup> /hr Sand filter 65 mm (2.5 inch) with manifold	No.	1
12	Hydro cyclone filter, (40 m <sup>3</sup> /hr 2.5 inch)	No.	1
13	Venturi manifold plastic 75 mm (2.5) x 32mm	No.	1
14	Venturi assembly complete 32mm	No.	1
15	Trenching (3*2 sq. ft)	Running meter, m	400
16	Back filling of trench with sand (up to 6 inch height)	cu. m	18
17	Brick missionary work for filter station (4*4*2)	cu. ft	32
18	Fitting and accessories as applicable		

**नियम एवं शर्तः:- Terms and conditions**

- दरों का उल्लेख वस्तु को इस निदेशालय परिसर, महाराजपुर, जबलपुर पहुँचाने एवं फिटिंग सहित की होना चाहिए। The rates should be quoted F.O.R. Destination Directorate DWR, Campus at Maharajpur, Jabalpur. With Installation.
- टेक्स का स्पष्ट रूप से उल्लेख होना चाहिये यदि टेक्स का उल्लेख नहीं रहता है, तो यह माना जावेगा कि दर्शायी गई दरों में टेक्स सम्मिलित है। इस निदेशालय से कोई 'सी' अथवा 'डी' फार्म जारी नहीं किया जाता है। Rates of Tax, liable should be indicated in clear terms separately. GST Registration Number both under State and Central Tax Act/Rules should be specifically indicated. No 'C' or 'D' form is issued by the Directorate.

- 3 कोटेशन फार्म के साथ फर्म का वैध पंजीयन प्रमाण-पत्र, टिन नं. एवं पेन कार्ड संलग्न करे।  
Valid TIN registration certificate and PAN card to be attached.
- 4 बिलों से टी. डी. एस यदि लागू हो तो कटौती नियमानुसार की जावेगी।  
Tax Deduction at Source (TDS), if applicable, will be made from the Bill of your Firm/Agency.
- 5 दर्शायी गई दरों की वैधता निविदा खोलने की तिथि से कम से कम 90 दिनों तक की होनी चाहिये, दरों में पैकिंग Forwarding एवं ट्रान्सपोर्टेशन चार्ज स्पष्ट रूप से उल्लेख होना चाहिये।  
The rates quoted should be valid for 90 days from the date of opening of quotation and it should include packing, forwarding and transportation charges.
- 6 सम्पूर्ण रूप से पूर्ण सीलबंद निविदा/कोटेशन निदेशालय में रखी निविदा पेटी या पोस्ट के द्वारा दिनांक **12/03/2018** दोपहर **2.30** बजे तक स्वीकार की जावेगी। एवं उसी दिन **दोपहर 3.00 बजे** खोली जाएगी, जिसमें फर्मों के अधिकृत प्रतिनिधि उपस्थित हो सकते हैं। फर्म इस पर ध्यान दे, कि किसी भी प्रकार अस्पष्ट, मिटी हुई, सफेदी लगी लिखाई नहीं होनी चाहिये, यदि कोई कटिंग अन्य ओवर राईटिंग होती है, तो उसे सत्यापित (उस स्थान पर हस्ताक्षर होना चाहिये) अन्यथा ऐसी दशा में कोटेशन पर कोई विचार नहीं किया जावेगा।  
Quotation should be sent in a sealed cover (**BY REGD. POST/SPEED POST/COURIER//TENDER BOX DWSR Jabalpur**) and the covering containing. **Quotation for Extended Structure 12/03/2018 on or before 2.30 pm Quotation will be opened on the same day 3.00P.M.** While opening the quotation an authorized representative of the firm may be present. Quotation received in an unsealed cover or received after the due date and those which are ambiguous are liable to be rejected. There should be no cutting/overwriting. The cuttings if any should be duly attested. Unattested/ amended/ overwritten figures will not be considered.
- 7 सभी मामलों में निदेशक, ख. अनु. निदेशालय का निर्णय अंतिम होगा तथा निविदाकारों को मान्य होगा।  
In all matters of dispute, the decision of the Director of this Directorate shall be final and binding on the tender.
- 8 बिल का भुगतान 30 दिनों में किया जावेगा। चूंकि भुगतान ई-पेमेंट के द्वारा किया जाता है, इसलिए फर्म का बैंक खाता नं. पता एवं आई एफ. सी. कोर्ड बिल में स्पष्ट रूप से उल्लिखित किया जाना चाहिये।  
Payment will be made within reasonable time say within 30 days after the certified of works at this Directorate. Since the mode of payment will be e-payment system, hence Bank Account Number, Address and IFSC Code Number of Bank must be mentioned in the bill/invoice.
- 9 निविदा/कोटेशन में दर्शायी गई दर की 2 प्रतिशत की राशि बतौर धरोहर राशि ( ई.एम.डी) के रूप में एकारुन्ट पेई डिमान्ड ड्राफ्ट/पे. आर्डर **ICAR UNIT DWR, JABALPUR** के पक्ष में देय हो आवश्यक रूप से निविदा/कोटेशन के साथ संलग्न होना चाहिये। अन्यथा निविदा पर विचार न करते हुये रद्द कर दिया जावेगा।  
The bid security (EMD) amount equal to 2% of the quoted price must be submitted along with the bid in form of Demand Draft/Banker's cheque drawn in favour of ICAR UNIT- DWR, JABALPUR otherwise the bid will not be taken into consideration.
- 10 सफल निविदाकार को चाहिए कि कुल राशि का रू. 10 प्रतिशत के हिसाब से सुरक्षा राशि जो डीडी/पे आर्डर ICAR UNIT DWR, Jabalpur के पक्ष में देय हो, जमा कराना होगा, तत्पश्चात आपूर्ति आदेश जारी किय जाएगा। सुरक्षा राशि बारंटी/गारंटी की समयावधि समाप्ति के पश्चात वापिस की जावेगी। सुरक्षा राशि प्राप्त होने के पश्चात EMD की राशि तत्काल वापिस की जाएगी जिसके लिए अनुरोध पत्र प्रस्तुत करना होगा।  
The successful tendere will be required to deposit 10% security deposit in the form of DD/Pay Order of total value of the stores as soon as desired by this Directorate i.e. before placing order for the supply of stores which will be refunded on successful completion of warranty of the equipment/Lab item. In the event of the offer made by the tenderer not being accepted, the amount of EMD deposited by the tenderer will be refunded to him after he applies for the same in the manner prescribed by the Directorate.
- 11 निदेशक, ख.अनु. निदेशालय के पास यह अधिकार सुरक्षित है, कि कोई भी निविदा/कोटेशन को स्वीकार अथवा अस्वीकार बिना किसी कारण के किया जावेगा।  
This Directorate reserves the right to reject any or all the quotation(s) received without assigning any reason thereof.
- 12 किसी भी प्रकार के पत्राचार अधोहस्ताक्षरकर्ता के पद नाम से ही किया जावे न कि उसके नाम से।  
All communication must be addressed to the undersigned by DESIGNATION ONLY and not by name.
- 13 किसी भी प्रकार का विवाद जबलपुर न्यायलय (Jurisdiction) के अधीन रहेगा।  
All disputes subject to Jabalpur Jurisdiction only.

**प्रभारी कय एवं भण्डार अनुभाग**  
**/c Store & Purchase section**

**Essential Basic Information**

<b>1</b>	Name of the Firm/Agency	
<b>2</b>	Full address with Tele./Mob. No., Fax No., e-mail	
<b>3</b>	Details of Tender Fee & EMD (DD/No., date, Name of the Bank/Branch)	
<b>4</b>	Registration Certificate of the Firm/Company	
<b>5</b>	GST Registration no.	
<b>6</b>	I.T. PAN No./ TIN No.	
<b>7</b>	Proprietary Certificate /Authorized dealer certificate	
<b>8</b>	<b>Bank Details</b>	
	Name of the Account Holder /firm/ Company (Payee's Account Name)	
	Nature of Account (saving/current)	
	Name of the Bank	
	Bank Account No.	
	Branch Address	
	IFSC Code of Bank/Branch	
<b>9</b>	Check List	

Date

Place

Name of the Authorized Signatory

Stamp &amp; Signature

## TECHNICAL CUM FINANCIAL BID FOR

## Installation and P/o of pressure compensating in-line Drip Irrigation System

Tender Ref : 3-430/S&amp;P/CRP-Project /2015-16

Date : .....

S/N.	Item description	Unit	Qty	Unit Rate (Rs.)	Total amount (Rs.)
1	UPVC pipe socket (75 mm x 4 kg 6 m)	m	132		
2	UPVC pipe socket (63 mm x 04 kg 6 m)	m	252		
3	In-lateral tube OD16mm CL2	m	600		
4	Inline later drip emitter 16mm dia, 2.0 lph discharge, 40 cm spacing, CL2, pressure compensating (PC)	No.	16000		
5	Control valve 75 mm teflon seal plain	No.	1		
6	Control valve 63 mm moulded seal plain	No.	4		
7	Flush valve 63 mm	No.	4		
8	Super flow filter 40m <sup>3</sup> /hr (2.5 inch)	No.	1		
9	Pressure relief valve metal (2.5 inch) thread	No.	1		
10	Double action air/vacuum relief valve 32mm(1)+D3750	No.	1		
11	40 m <sup>3</sup> /hr Sand filter 65 mm (2.5 inch) with manifold	No.	1		
12	Hydro cyclone filter, (40 m <sup>3</sup> /hr 2.5 inch)	No.	1		
13	Venturi manifold plastic 75 mm (2.5) x 32mm	No.	1		
14	Venturi assembly complete 32mm	No.	1		
15	Trenching (3*2 sq. ft)	Running meter, m	400		
16	Back filling of trench with sand (up to 6 inch height)	cu. m	18		
17	Brick missionary work for filter station (4*4*2)	cu. ft	32		
18	Fitting and accessories as applicable				

**Terms and conditions**

1. Rates are Inclusive all Taxes (GST and all)
2. Quotation validity : 90 days
3. Others
- 4.
- 5.

Date  
Place

Name of the Authorized Signatory  
Stamp & Signature