

### भा.कृ.अनु.प. - खरपतवार अनुसंधान निदेशालय ICAR - Directorate of Weed Research

महाराजपुर, अधारताल, जबलपुर — **482004, (**म. प्र.**)**, भारत Maharajpur, Adhartal, Jabalpur 482 004 (M.P.), INDIA



F.No.: 13-138/ Works/2016-17		Date:	30-11-2018
Fax	: 0761 – 2353129		
<b>EPABX</b>	: +91-761-2353101, 2353934	<b>Email</b> : di	rdwsr@icar org.in

प्रति.

विषय:— रोकड़ अनुभाग में लगे लकड़ी के पार्टीशन को हटाकर उक्त स्थान पर एल्यूमीनियम फ्रेम का पार्टीशन लगाने के संबंध में।

महोदय,

निदेशक, ख.अनु.निदेशालय की ओर से निदेशालय के रोकड़ अनुभाग में लगे लकड़ी के पार्टीशन को हटाकर उक्त स्थान पर एल्यूमीनियम फ्रेम का पार्टीशन लगाने हेतु सील बंद निविदा/ऑफर पोस्ट के द्वारा आमंत्रित है। विवरण निम्नानुसार है :--

अतः उक्त कार्य को कराने हेतु सक्षम अधिकारी यदि सहमत हों तो उपरोक्त कार्य हेतु विस्तृत प्राक्कलन निम्नानुसार है:-

1 <sup>st</sup> Partition				
1.	Removing of existing wooden/plywood partition including door.	As already fitted		
2.	Supplying and fixing of bottom best quality ACP sheet (5mm thick)/ laminated board panel (10 or 12mm thick) with best quality aluminum frame structure as per drawing for main Partition-x	4'- 0" × 3'- 3" approx 2'- 6" × 3'- 3" approx Including frame size		
3.	Supplying and fixing of best quality glass 6mm with rubber gasket & best quality aluminum frame branded make sizes as per drawing for main Partition-x	Glass 4' × 2' & 2' × 2'- 6" including frame size. (All aluminum section is 2.5"×1.5" × length as per requirement)		
4.	Supplying and fixing of top best quality aluminum grill with best quality aluminum frame structure as per drawing for main Partition-x	2'- 6" × 9' approx Including frame size		
5.	Supplying and fixing of bottom best quality ACP sheet (5mm thick)/ laminated board panel 10 or 12mm thick) with best quality aluminum frame structure (All section 2.5"×1.5" × length as per requirement) for sub Partition-'Y' as per drawing.	3'- 9" × 6' including frame size		
<b>Door</b> 2'- 6" wide × 6'- 6" high with strong AL frame				
6.	Supplying and fixing of bottom best quality ACP sheet (5mm thick)/ laminated board panel 10 or 12mm thick) with best quality aluminum frame structure (All section 2.5"×1.5" × length as per requirement) main Partition-x (door)	3'- 3" × 2'- 6" including frame size with middle frame as per drawing		
7.	Supplying and fixing of best quality glass 6mm with rubber gasket & Best quality aluminum frame as per drawing main Partition-x (door)	3'- 3" × 2'- 6" are including frame size		
	Total qty. approx 103.5 sqft			
8.	Supplying of Door hinge	4 nos		
	Supplying and fixing of L-drops on middle, and top frame both sides	One job		
	Supplying and fixing of inter Lock	1 nos		
	Supplying and fixing of Handle from both side	One job		
चोन :	Any necessary required material which is not included in above estimate	As per requirement		

नोट :– ठेकेदार कृपया कोटेशन देने से पहले कार्यस्थल का निरिक्षण एवं माप अवष्य कर लें तथा उपरोक्त पार्टीशन का साईज लगभग फ्रेम सहित है उक्त कार्य करने के पूर्व जो भी डाईमेंशन छूटे हो उसे उचित तर्क संगत समझ ले, या सम्पंक कर पुछ लें।

#### नोट :-

- 1. ठेकेदार कोटेशन देने के पूर्व स्थल निरीक्षण अवश्य कर लें।
- उपयोग में आने वाला मटेंरियल उच्च गुणवत्ता का व स्टेण्डर्ड कंपनी का होना चाहिये तथा मटेरियल लगाने के पूर्व सेम्पल को निर्माण समिति से अनुमोदित कराकर कार्य में लगाया जाना अनिवार्य होगा।
- 3. ठेकेदार कार्ये आदेश में दी गई कार्य की मात्रा के अनुसार कार्य करें तथा मात्रा लिखित मात्रा अधिक होने की संभावना होने पर पूर्व में सक्षम अधिकारी से लिखित अनुमित प्राप्त कर ही आगे का कार्य करें।
- 4. ठेकेदार कार्य प्रारंभ करने के पूर्व संबंधित अनुभाग की अनुमित प्राप्त कर कार्य प्रारंभ करें। कार्य के दौरान भी निर्माण समिति को कार्य की प्रगति का अवलोकन कराया जाना आवश्यक है। उपरोक्त सम्पूर्ण कार्य का रेट प्रति वर्गफुट, रनिंग फुट में देने का श्रम करें, लमसम (एकमुश्त) रेट स्वीकार नहीं होगा।

#### नियम एवं शर्तें :--

- 1. दरों का उल्लेख वस्तु को इस निदेशालय परिसर, महाराजपुर, जबलपुर पहुंचाने तक का होना चाहिये।
- 2. सेल्स टेक्स अथवा अन्य टेक्स का स्पष्ट रूप से उल्लेख होना चाहिये यदि टेक्स का उल्लेख नहीं रहता है, तो यह माना जावेगा कि दर्षायी गई दरों में टेक्स सम्मिलित है। इस निदेशालय से कोई ''सी'' अथवा ''डी'' फॉर्म जारी नहीं किया जाता है।
- 3. बिलों से टी.डी.एस. यदि लागू हो तो कटौती निम्नानुसार की जावेगी।
- 4. दर्षायी गई दरों की वैधता निविदा खोलने की तिथि से कम से कम 90 दिनों तक की होनी चाहिये, दरों में पैकिंग forwarding एवं ट्रांसपोट्रेषन चार्ज स्पष्ट रूप से उल्लेख होना चाहिये।
- 5. सम्पूर्ण रूप से पूर्ण सीलबंद निविदा / कोटेषन निदेशालय में रखी निविदा पेटी या पोस्ट के द्वारा दिनांक 15/12/2018 दोपहर 2.30 बजे तक स्वीकार की जावेगी। फर्म इस पर ध्यान दें, कि किसी भी प्रकार अस्पष्ट, मिटी हुई, सफेदी लगी लिखाई नहीं होनी चाहिये, यदि कोई कटिंग अन्य ओवर राईटिंग होती है, तो उसे सत्यापित (उस स्थान पर हस्ताक्षर होना चाहिये) अन्यथा ऐसी दशा में कोटेषन पर कोई विचार नहीं किया जावेगा।
- 6. सभी मामलों में निदेशक, ख.अनु. निदेशालय का निर्णय अंतिम होगा तथा निविदाकारों को मान्य होगा ।
- 7. बिल का भुगतान 30 दिनों में किया जावेगा। चूंकि भुगतान ई—पेमेंट के द्वारा किया जाता है, इसलिए फर्म का बैक खाता नं. पता एवं आई.एफ.एस.सी. कोड बिल में स्पष्ट रूप से उल्लेखित किया जाना चाहिये।
- 8. निविदा/कोटेशन में रू. 5,000/- की राषि बतौर धरोहर राशि (ई.एम.डी.) के रूप में एकाउंट पेई डिमांड ड्राफ्ट/पे. आर्डर ICAR UNIT DWR, JABALPUR के पक्ष में देय हो आवष्यक रूप से निविदा/कोटेशन के साथ संलग्न होना चाहिये। अन्यथा निविदा पर विचार न करते हुये रद्द कर दिया जावेगा। धरोहर राशि (ईएम.डी) की राशि स्माल स्केल इंड्रस्टीज के लिए छूट है। इस हेतु निविदा के साथ वांछित प्रमाण पत्र के संलग्न करना अनिवार्य है।
- 9. निदेशक, ख.अनु. निदेशालय के पास यह अधिकार सुरक्षित है, कि कोई भी निविदा / कोटेशन को स्वीकार अथवा अस्वीकार बिना किसी कारण के किया जा सकेगा।
- 10. किसी भी प्रकार के पत्राचार अधोहस्ताक्षरकर्ता के पद नाम से ही किया जावे न कि उसके नाम से।
- 11. सभी संलग्न Annexure भरना अनिवार्य है।
- 12. किसी भी प्रकार का विवाद जबलपुर न्यायालय (jurisdicsion) के अधीन रहेगा।
- 13. सफल निविदाकर्ता को कार्य आदेश देने के पूर्व सम्पूर्ण वर्क आर्डर राशि के 10 प्रतिशत की सुरक्षा राशि जमा करना होगा। (उक्त एस.डी) जमा होने पर ई.एम.डी. लौटाने पर विचार किया जायेगा।

प्रभारी क्रय एवं भण्डार अनुभाग

## ANNEXURE – 1

#### **Essential Basic Information**

1	Name of the Firm/Agency	
2	Full address with Tele./Mob. No., Fax No., e-mail	
3	Details of Tender Fee & EMD (DD/No., date, Name of the Bank/Branch)	
4	Registration Certificate of the Firm/Company	
5	GST Registration no.	
6	I.T. PAN No./ TIN No.	
7	Proprietary Certificate /Authorized dealer certificate	
8	Bank Details	
	Name of the Account Holder /firm/	
	Company (Payee's Account Name)	
	Company (Payee's Account Name)  Nature of Account (saving/current)	
	Nature of Account (saving/current)	
	Nature of Account (saving/current)  Name of the Bank	
	Nature of Account (saving/current)  Name of the Bank  Bank Account No.	

Date Place Name of the Authorized Signatory
Stamp & Signature

#### **TECHNICAL CUM FINANCIAL BID**

1 <sup>st</sup> Partition				
1	Removing of existing wooden/plywood partition including door.	As already fitted		
2.	Supplying and fixing of bottom best quality ACP sheet (5mm thick)/	4'- 0" × 3'- 3" approx		
	laminated board panel (10 or 12mm thick) with best quality aluminum	2'- 6" × 3'- 3" approx		
	frame structure as per drawing for main Partition-x	Including frame size		
3.	Supplying and fixing of best quality glass 6mm with rubber gasket &	Glass 4' × 2' & 2' × 2'- 6"		
	best quality aluminum frame branded make sizes as per drawing for	including frame size.		
	main Partition-x	(All aluminum section is		
		2.5"×1.5" × length as per		
		requirement)		
4.	Supplying and fixing of top best quality aluminum grill with best	2'- 6" × 9' approx		
	quality aluminum frame structure as per drawing for main Partition-x	Including frame size		
5.	Supplying and fixing of bottom best quality ACP sheet (5mm thick)/	3'- 9" × 6' including		
	laminated board panel 10 or 12mm thick) with best quality aluminum	frame size		
	frame structure (All section 2.5"×1.5" × length as per requirement) for			
sub Partition-'Y' as per drawing.				
	<b>Door</b> 2'- 6" wide × 6'- 6" high with strong AL frame			
6.	Supplying and fixing of bottom best quality ACP sheet (5mm thick)/	3'- 3" × 2'- 6" including		
	laminated board panel 10 or 12mm thick) with best quality aluminum	frame size with middle		
	frame structure (All section 2.5"×1.5" × length as per requirement)	frame as per drawing		
	main Partition-x (door)			
7.	Supplying and fixing of best quality glass 6mm with rubber gasket &	3'- 3" × 2'- 6" are		
	Best quality aluminum frame as per drawing main Partition-x (door)	including frame size		
	Total qty. approx 103.5 sqft			
8.	Supplying of Door hinge	4 nos		
	Supplying and fixing of L-drops on middle, and top frame both sides	One job		
	Supplying and fixing of inter Lock	1 nos		
	Supplying and fixing of Handle from both side	One job		
Any	necessary required material which is not included in above estimate	As per requirement		

#### Terms and condition

1. Rates are Inclusive all Taxes (GST and all)

2. Quotation validity: 90 days

3. Others

Date Place Name of the Authorized Signatory
Stamp & Signature

# Details of the Minimum 2 (two) years experience/work done (PLEASE ATTACH DOCUMENTRY PROFF)

Sr.	Name of the	Period		Work details	Remark
No	Deptt/Organization & name of Contact Person with Ph. No.	From	То		

(Authorized Signatory)